

Supplement to




TM-267, 1st printing

Installation Instructions

This Supplement provides the assembly drawing, parts list, and schematic diagram for the Major Havoc Conversion printed-circuit board.





NOTICE TO ALL PERSONS RECEIVING THIS DRAWING
CONFIDENTIAL: Reproduction for bidden without the specific written permission of Agai, Inc. Sunnyvale (A. This drawing sonly conditionally issued, and neither receipt nor possession thereof confess
of transfers any right in, or itense to use, the subject matter of the
drawing or any design or technical information shown thereon, nor
any right to reproduce this drawing or any part thereof. Except for
manufacture by wendors of Atari, Inc., and for manufacture under
the coproation's written kierakes, no right is granted to reproduce this
drawing or the subject matter thereogy.

Figure 1 Conversion PCB Assembly A042392-21 A

Conversion PCB Assembly Parts List

Designator	Description	Part No.
	Capacitors	
C1	0.01 μF, 50 V, Ceramic-Disc Capacitor	•
C2-C5	0.1 μF, 25 V, Ceramic-Disc Capacitor	122005-103
27	39 pF, 100 V, Mica Capacitor	122006-104
28	1 μF, 50 V, Aluminum Electrolytic Capacitor	128002-390
-	1 µ1, 50 V, Aluminum Electrolytic Capacitor	24-500105
C9	2.2 μF, 35 V, Tantalum Capacitor	12222
C10	0.1 μF, 25 V, Ceramic-Disc Capacitor	122000-225
211	2.2 με, 35 V, Tantalum Capacitor	122006-104
12	1 μF, 50 V, Aluminum Electrolytic Capacitor	122000-225
:13-C15	0.1 μF, 25 V, Ceramic-Disc Capacitor	24-500105
	on pri, 25 v, octamic-bise capacitor	122006-104
	Diodes	
R3	Type-1N754A Diode	131002-001
CR4	Type-1N100 Diode	31-1N100
R7	Type-1N100 Diode	31-1N100
	Integrated Circuits	
1		
2	Type-7915 Regulator Integrated Circuit	37-7915
1	Type-7815 Regulator Integrated Circuit	37-7815
2, U3	Type-TL084 Operational Amplifier Integrated Circuit	37-347
4 , 6 <i>9</i>	Type-MC1495LS Integrated Circuit	37-1495
	Resistors	
t	100 Ω, ±5%, ¼ W Resistor	110000 101
í	2.2 kΩ, ±5%, ¼ W Resistor	110000-101
5	10 kΩ Potentiometer	110000-222
5	$2.2 \text{ k}\Omega$, $\pm 5\%$, ¼ W Resistor	119002-103
	- The state of the	110000-222
7	5.6 kΩ, ±5%, ¼ W Resistor	110000 562
3	680 Ω, ±5%, ¼ W Resistor	110000-562
)	470 Ω, ±5%, ¼ W Resistor	110000-681
0	$3.9 \text{ k}\Omega$, $\pm 5\%$, ¼ W Resistor	110000-471
	,	110000-392
3	10 kΩ, ±5%, ¼ W Resistor	110000-103
4	$5.6 \text{ k}\Omega, \pm 5\%, \text{ W Resistor}$	
5	3.9 kΩ, ±5%, ¼ W Resistor	110000-562 110000-392
6	2.2 kΩ, ±5%, ¼ W Resistor	110000-392
7, R18	271-0 . 50/ 1/ 1/27 .	***************************************
7, KIO 9	$2.7 \mathrm{k}\Omega$, $\pm 5\%$, ¼ W Resistor	110000-272
9 80	1 kΩ, ±5%, ¼ W Resistor	110000-102
:0 ?1	$1.5 \text{ k}\Omega$, $\pm 5\%$, $\frac{1}{2}$ W Resistor	110000-152
-1	2.2 kΩ, ±5%, ¼ W Resistor	110000-222
23	2 kΩ Potentiometer	110000 000
24	VDR Resistor	119002-202
5	10 kΩ Potentiometer	110004-001
6-R29	470 Ω, ±5%, ¼ W Resistor	119002-103
0, R31	150 Ω, ±5%, ¼ W Resistor	110000-471
		110000-151
	Miscellaneous	
	44-Pin Connector	179073-044
	24-Pin Connector	179073-024
	Nylon Snap-In Fastener	81-4302

